

FB2	WS 19-20	MA 3.1		
Mo	7.45 - 8.30			
	8.40 - 9.25			
	9.40 - 10.25			
	10.35 - 11.20			
	11.35 - 12.20			
	12.30 - 13.15			
	14.15 - 15.00			
	15.15 - 16.00			
	16.15 - 17.00			
	17.15 - 18.00			
	18.15 - 19.00			
Di	7.45 - 8.30			
	8.40 - 9.25	Had V-PRG D.109		
	9.40 - 10.25	Had V-PRG D.109		
	10.35 - 11.20	Had V-PRG D.109		
	11.35 - 12.20	Had V-PRG D.109		
	12.30 - 13.15			
	14.15 - 15.00	Had V-DEC D.109		
	15.15 - 16.00	Had V-DEC D.109		
	16.15 - 17.00	Had V-DEC D.109		
	17.15 - 18.00	Had V-DEC D.109		
	18.15 - 19.00			
Mi	7.45 - 8.30			
	8.40 - 9.25			
	9.40 - 10.25			
	10.35 - 11.20			
	11.35 - 12.20			
	12.30 - 13.15			
	14.15 - 15.00	SI V-ID 1.144		
	15.15 - 16.00	SI V-ID 1.144		
	16.15 - 17.00	SI Ü-ID 1.144		
	17.15 - 18.00	TS V-SK 1.143		
	18.15 - 19.00	TS V-SK 1.143		
Do	7.45 - 8.30			
	8.40 - 9.25			
	9.40 - 10.25			
	10.35 - 11.20			
	11.35 - 12.20			
	12.30 - 13.15			
	14.15 - 15.00			
	15.15 - 16.00			
	16.15 - 17.00			
	17.15 - 18.00			
	18.15 - 19.00			
Fr	7.45 - 8.30	SI V-SD 1.144		
	8.40 - 9.25	SI V-SD 1.144		
	9.40 - 10.25	SI V-SD 1.144		
	10.35 - 11.20	SI V-SD 1.144		
	11.35 - 12.20			
	12.30 - 13.15			
	14.15 - 15.00			
	15.15 - 16.00			
	16.15 - 17.00			
	17.15 - 18.00			
	18.15 - 19.00			
Stand 13.09.2019		SPLAN_FB2_WS19-20 V3.xls		